

General Agriculture Application Information

For

BANANAS, DATES, FIGS, PINEAPPLE
Soil, Foliar and Seed Applications

Products:

The Bio-N-Liven Answer®

The Carbon Answer®

The Mineral Electrolyte Answer®

Note: Application rates are “general.”
They have been compiled over the previous 15 years
from field tests and long-term usage by growers.

Such tests are ongoing and this table will
be updated as more information
is made available.



Revised January 2005
www.ECandS.net



THE ANSWER® 2005 PRODUCT APPLICATION RATES

BANANAS, DATES, FIGS, PINEAPPLE

| Application Area | The Answer® Products | Application Rate | Application Time | Dilution Rate | Method of Application | Field Observations |
|------------------|----------------------|-------------------|--------------------------------|---|---|--|
| Soil | Carbon Answer® | (24 fl. Oz./acre) | Once a year; before new growth | Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used. | Banded. Ground. Spray diluted product evenly around the trunk. After application, incorporate product into soil. Rain or irrigation after application will improve performance. | INCREASED: Soil fertility, water holding capacity and drainage, soil aeration, neutralization of soil pH |
| Soil | Bio-N-Liven Answer® | (24 fl. Oz./acre) | Once a year; before new growth | Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used. | Banded. Ground. Spray diluted product evenly around the trunk. After application, incorporate product into soil. Rain or irrigation after application will improve performance. | INCREASED: Soil fertility, water holding capacity and drainage, soil aeration, neutralization of soil pH |

APPLICATION COLOR GUIDE

SOIL
 SEED
 FOLIAR



THE ANSWER® 2005 PRODUCT APPLICATION RATES

BANANAS, DATES, FIGS, PINEAPPLE

| Application Area | The Answer® Products | Application Rate | Application Time | Dilution Rate | Method of Application | Field Observations |
|------------------|-----------------------------|--|------------------|--|---|--|
| Seed | Bio-N-Liven Answer® | For transplanted seedlings only (7 fl. Oz./acre) | At transplanting | At least 1:20. Use enough water, but not more than necessary, to dip the roots of plants to be planted on one acre. Calculate dilution rate so recommended amount will be used per acre. | Dip the roots of the transplanted plants in dilution immediately after removing from seedbed and transplant them in soil. | IMPROVED: Survival of seedlings, regeneration and growth of root system, resistance of seedlings to stress (low temperature, drought, disease, etc.) |
| Seed | Mineral Electrolyte Answer® | For transplanted seedlings only (2 fl. Oz/acre) | At transplanting | At least 1:20. Use enough water, but not more than necessary, to dip the roots of plants to be planted on one acre. Calculate dilution rate so recommended amount will be used per acre. | Dip the roots of the transplanted plants in dilution immediately after removing from seedbed and transplant them in soil. | IMPROVED: Survival of seedlings, regeneration and growth of root system, resistance of seedlings to stress (low temperature, drought, disease, etc.) |

APPLICATION COLOR GUIDE





THE ANSWER® 2005 PRODUCT APPLICATION RATES

BANANAS, DATES, FIGS, PINEAPPLE

| Application Area | The Answer® Products | Application Rate | Application Time | Dilution Rate | Method of Application | Field Observations |
|------------------|-----------------------------|--------------------|--|--|---|---|
| Foliar | Bio-N-Liven Answer® | (12 fl. Oz./acre) | Twice: 1st - at intensive plant growth 2nd - at the beginning of fruit set | Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used. | Spray diluted product evenly on tree leaves. For best uptake, apply product in evening or early morning. Heavy rain within 24 hours of application will diminish product effectiveness. | IMPROVED: Plant vigor, fruit set, yield, quality of fruit |
| Foliar | Mineral Electrolyte Answer® | (3 fl. Oz./acre) | Twice: 1st - at intensive plant growth 2nd - at the beginning of fruit set | Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used. | Spray diluted product evenly on tree leaves. For best uptake, apply product in evening or early morning. Heavy rain within 24 hours of application will diminish product effectiveness. | IMPROVED: Plant vigor, fruit set, yield, quality of fruit |
| Foliar | Carbon Answer® | (1-2 fl. Oz./acre) | Twice: 1st - at intensive plant growth 2nd - at the beginning of fruit set | Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used. | Spray diluted product evenly on tree leaves. For best uptake, apply product in evening or early morning. Heavy rain within 24 hours of application will diminish product effectiveness. | IMPROVED: Plant vigor, fruit set, yield, quality of fruit |

APPLICATION COLOR GUIDE

SOIL
 SEED
 FOLIAR