

# General Agriculture Application Information

For

## VEGETABLES (ROOT) Soil and Foliar Applications

### Products:

The Bio-N-Liven Answer®

The Carbon Answer®

The Mineral Electrolyte Answer®

**Note:** Application rates are “general.”  
They have been compiled over the previous 15 years  
from field tests and long-term usage by growers.

Such tests are ongoing and this table will  
be updated as more information  
is made available.



Revised January 2005  
[www.ECandS.net](http://www.ECandS.net)



# THE ANSWER® 2005 PRODUCT APPLICATION RATES

## VEGETABLES (ROOT)

Application Area	The Answer® Products	Application Rate	Application Time	Dilution Rate	Method of Application	Field Observations
Soil	Bio-N-Liven Answer®	Fertile Soil: (12 fl. Oz./acre) Moderate Soil: (16 fl. Oz./acre) Problem Soil: (24 fl. Oz./acre)	Preplanting	Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Banded. Ground. Spray diluted product evenly in the furrows. Broadcast. After application, incorporate product into soil. Rain or irrigation after application will improve performance.	INCREASED: Soil riltth, soil fertility, organic matter content, water holding capacity and drainage, soil aeration, neutralization of soil pH
Soil	Carbon Answer®	Fertile Soil: (9 fl. Oz./acre) Moderate Soil: (9-12 fl. Oz./acre) Problem Soil: (15-20 fl. Oz./acre)	Preplanting	Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Banded. Ground. Spray diluted product evenly in the furrows. Broadcast. After application, incorporate product into soil. Rain or irrigation after application will improve performance.	INCREASED: Soil riltth, soil fertility, organic matter content, water holding capacity and drainage, soil aeration, neutralization of soil pH

**APPLICATION COLOR GUIDE**



SOIL



SEED



FOLIAR



# THE ANSWER® 2005 PRODUCT APPLICATION RATES

## VEGETABLES, ROOT

Application Area	The Answer® Products	Application Rate	Application Time	Dilution Rate	Method of Application	Field Observations
Foliar	Mineral Electrolyte Answer®	(3 fl. Oz./acre)	Twice: 1st, 6-8 leaf stage 2nd, 4-6 weeks later	Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Spray diluted product evenly on foliage. For best uptake, apply product in evening or early morning. Heavy rain or aerial irrigation within 24 hours	IMPROVED: Plant vigor, yield, quality of vegetables
Foliar	Bio-N-Liven Answer®	(12 fl. Oz./acre)	Twice: 1st, 6-8 leaf stage 2nd, 4-6 weeks later	Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Spray diluted product evenly on foliage. For best uptake, apply product in evening or early morning. Heavy rain or aerial irrigation within 24 hours	IMPROVED: Plant vigor, yield, quality of vegetables

**APPLICATION COLOR GUIDE**

SOIL    
  SEED    
  FOLIAR